

Distribution | Systemlösungen | Engineering

electronics4U

Power Components







electronics4U

DC-DC Step-Down Switching Regulators

4A, 1.3MHz adjustable DC-DC converter with low quiescent current

• Very compact housing: 3x3mm QFN-16L

· Safety Features:

Over current protection


Over- and under voltage protection

Short circuit protection

Over temperature protection


Power Good Monitoring

Operating input voltage: 2.5- 5.5V_{IN}



Product Type	Product Name	V _{IN} Min. Voltage [V]	100	V _{ouT} Min. Voltage [V]	V _{OUT} Max. Voltage [V]	I _{оит} [А]	I _o Typ. [uA]	Switching Frequency [Mhz]	Ron Typ. High Side [mΩ]	Ron Typ. Low Side [mΩ]	PSM/Forced PWM	Power Good	Features	Operating Temperature [°C]	Package Type
Step-Down	GLF8114	2.5	5.5	0.6	5.5	4.0	21.0	1.3	75.0	57.0	PSM	7	TSD, Cycle by cycle current protection	- 40 ~ 85	QFN 3 x 3 - 16L

Evalboards available on request





electronics4U

www.trs-star.com

Hauptsitz Stutensee

Werner-von-Siemens-Str. 1 D-76297 Stutensee T +49 7249 95222-0 Info@trs-star.com

Niederlassung Frankenthal

Schraderstraße 44 D-67227 Frankenthal T +49 6233 347-0 Info@trs-star.com