


TRS-STAR

electronics4U



TRS-STAR Distributor of

LCD World Displays

Product Overview



electronics4U

Distribution

System Solutions



Since its foundation TRS-STAR GmbH focused on distribution of electronic components, displays and assemblies for industrial customers as well as the Retail Market. The portfolio scopes many well-known manufacturers providing the following attractive product groups:

- Displays
- Memory & Storage
- IPC Systems
- IPC Boards
- Batteries
- Power Components
- Frequency Components
- LED / Lighting
- PEMCO
- GPS Tracker / Routers
- Programmable Logic
- Lighting Systems

Since 2014 TRS-STAR has an own development center with a team of long-term experienced engineers coming from various industry sectors. The core competence of this team covers a broad spectrum of complex applications related to Hard- and Software.


We are highly dedicated to an extensive support during design-in answering technical and commercial questions. TRS-STAR offers matching components even for critical environments and extraordinary requirements.

In the range of Sensor Systems, a fine selection of high-end tracker solutions are available, being designed for tracking vehicles, persons and assets. Based on our long-term partnership with leading manufacturers of trackers, system integrators and network providers, we are in the position offering standard solutions but customized in terms of hard-, firm and Software.

Besides distribution, TRS-STAR also offers a service for excess and shortage management. Our expansive network of global suppliers, combined with our technical expertise, enable TRS-STAR to source any component required. Send us your shortage and hard to find requirements or check for stock and availability online on our webpage. Customers take benefit from our extensive know-how which is based on 20 years of experience. Increase your working capital by choosing TRS-STAR to market your overstock according to your personal needs by setting up a consignment agreement, selling your excess to TRS-STAR, or letting us promote your overstock through the worldwide market.

It would be our pleasure, if you would give us the chance to convince you about our competences and strengths.

Product Portfolio and Services



Engineering

Portfolio

- Displays
- Memory & Storage
- IPC Systems
- IPC Boards
- Batteries
- Power Components
- Frequency Components
- LED / Lighting
- PEMCO
- GPS Tracker / Routers
- Programmable Logic
- Lighting Systems

Services

- Sourcing of EOL (End of Life) Components
- Sourcing of Allocation Components
- Implementation of System Solutions
- Overstock Management
- Technical Support
- Implementation of Logistics Concepts
- Appropriate and professional Warehouse Logistics



LCD World Company Portrait



LCD WORLD LIMITED is a TFT Display manufacturer Hong Kong based with factories in Mainland China. The strengths are flexibility and full focus on the TFT industrial solutions.

The company, specialized in providing a wide range of TFT displays module internally designed and able to support any customization requested by our customers, offers a complete range of product's categories as:

- Standard TFT Display Module [1.44" up to 110"]
- Customized TFT solutions [FPC, Backlight, CTP, Interface]
- High Brightness TFT Display Module
- Stretched TFT Display Module
- Transparent TFT Module
- Capacitive Touch Panel [standard and full custom]
- Optical Bonding
- Systems accessories [AD Board, LED Driver, light sensor]



The complete product's portfolio and our knowledge, allow to LCD WORLD LTD to full support the customers, starting from their "idea" to their product development, suggesting the best and most feasible solution for their application. That's why LCD WORLD LTD is your design-in display partner.



Standard TFT Display Module



Size [Inch]	Brightness	Resolution	Active Area [mm]	Viewing Angle	Dimension [mm]	Interface
1,44	200cd/m ²	128 x 128	25.50 x 26.50	12	32.60 x 38.00 x 2.20	MCU
1,8	150cd/m ²	128 x 160	28.03 x 35.04	12	33.90 x 43.80 x 2.50	MCU
1,8	400cd/m ²	132 x 62	28.03 x 35.04	12	33.83 x 43.42 x 2.55	MCU
2,0	-	240 x 320	-	12	33.24 x 26.82 x 1.30	18bit RGB
2,0	220cd/m ²	176 x 220	31.68 x 39.60	6	37.68 x 51.30 x 2.25	MCU
2,0	3LED	240 x 320	30.60 x 40.80	ALL	36.00 x 51.70 x 2.00	MCU
2,2	-	176 x 220	33.84 x 45.12	6	36.84 x 51.92 x 1.44	SPI4
2,4	220cd/m ²	240 x 320	36.72 x 48.96	12	42.72 x 60.26 x 2.20	SPI4
2,4	220cd/m ²	240 x 320	36.72 x 48.96	6	42.72 x 60.26 x 2.20	SPI4
2,4	200cd/m ²	240 x 320	36.72 x 48.96	6	47.72 x 60.26 x 2.30	MCU
2,4	220cd/m ²	240 x 320	36.72 x 48.96	ALL	42.72 x 60.26 x 2.20	SPI
2,4	220cd/m ²	240 x 320	36.72 x 48.96	ALL	42.72 x 60.26 x 2.40	SPI
2,7	220cd/m ²	960 x 240	33.06 x 58.80	12	39.10 x 67.50 x 2.40	RGB
2,8	250cd/m ²	240 x 320	43.20 x 57.60	12	50.00 x 69.20 x 2.25	SPI4
2,8	250cd/m ²	240 x 320	-	12	50.00 x 69.20 x 3.60	SPI4
2,8	200cd/m ²	240 x 320	43.20 x 57.60	12	50.00 x 69.20 x 3.64	8/16 MCU
2,8	250cd/m ²	240 x 320	43.20 x 57.60	12	50.00 x 69.20 x 2.25	SPI4
2,8	250cd/m ²	240 x 320	43.20 x 57.60	ALL	50.00 x 69.20 x 2.50	MCU
3,2	250cd/m ²	240 x 320	48.60 x 64.80	6	57.54 x 79.20 x 3.40	8/16 MCU
3,5	250cd/m ²	320 x 60	-	12	80.00 x 25.00 x 2.85	24bit RGB
3,5	250cd/m ²	320 x 240	70.08 x 52.56	12	77.60 x 64.60 x 3.10	18bit RGB
3,5	250cd/m ²	320 x 480	48.96 x 73.44	12	54.48 x 84.71 x 3.35	8/16 MCU
3,5	350cd/m ²	320 x 240	70.80 x 52.56	12	76.90 x 63.90 x 4.00	24bit RGB
3,5	250cd/m ²	320 x 240	-	12	76.90 x 63.90 x 4.10	24bit RGB
3,5	450cd/m ²	320 x 480	48.96 x 73.44	12	54.48 x 84.71 x 2.20	16BIT MCU
3,5	300cd/m ²	320 x 240	70.80 x 52.56	12	76.90 x 63.90 x 4.00	24bit RGB
3,5	250cd/m ²	320 x 240	70.08 x 52.56	ALL	76.74 x 63.74 x 3.28	SPI+RGB
3,5	250cd/m ²	320 x 480	48.96 x 73.44	ALL	53.36 x 82.93 x 2.10	RGB
3,5	250cd/m ²	480 x 800	45.36 x 75.60	ALL	50.16 x 86.30 x 2.00	MIPI
3,5	-	640 x 480	70.08 x 52.56	ALL	73.08 x 59.56 x 1.20	SPI+RGB
4,0	250cd/m ²	480 x 480	71.86 x 70.18	ALL	78.80 x 81.70 x 2.00	SPI+RGB
4,0	250cd/m ²	480 x 800	51.84 x 86.40	ALL	57.14 x 96.85 x 1.90	MIPI
4,0	250cd/m ²	480 x 800	51.84 x 86.40	ALL	57.14 x 96.85 x 2.40	MIPI
4,0	250cd/m ²	480 x 800	51.84 x 86.40	ALL	58.26 x 98.10 x 2.70	SPI+RGB
4,0	250cd/m ²	720 x 720	-	ALL	78.80 x 81.70 x 2.00	MIPI
4,0	-	480 x 800	-	6	55.44 x 93.90 x 1.30	18bit RGB
4,0	-	480 x 800	-	6	55.44 x 93.9 x 1.30	18bit RGB
4,0	-	480 x 800	95.04 x 53.86	6	55.44 x 93.90 x 1.30	MIPI
4,3	500cd/m ²	480 x 272	95.04 x 53.86	12	105.50 x 67.20 x 3.0	24bit RGB
4,3	500cd/m ²	480 x 272	95.04 x 53.86	12	105.50 x 67.20 x 3.0	24bit RGB
4,3	300cd/m ²	480 x 272	95.04 x 53.86	12	105.50 x 67.20 x 3.0	24bit RGB
4,3	300cd/m ²	480 x 272	95.04 x 53.86	12	105.50 x 67.20 x 2.95	24bit RGB
4,3	900cd/m ²	480 x 272	95.04 x 53.86	12	105.50 x 67.20 x 3.0	24bit RGB
4,3	300cd/m ²	480 x 272	95.04 x 53.86	12	105.50 x 67.20 x 3.95	RGB
4,3	1000cd/m ²	480 x 272	95.04 x 53.86	12	105.50 x 67.20 x 4.15	24bit RGB
4,3	320cd/m ²	480 x 272	95.04 x 53.86	12	105.50 x 67.20 x 3.0	24bit RGB
4,3	200cd/m ²	480 x 272	95.04 x 53.86	12	105.50 x 67.20 x 3.0	8/24bit RGB
4,3	350cd/m ²	480 x 272	-	12	105.50 x 67.20 x 3.0	24bit RGB
4,3	350cd/m ²	480 x 272	95.04 x 53.86	12	105.00 x 67.20 x 2.95	24bit RGB

Standard TFT Display Module



Size [Inch]	Brightness	Resolution	Active Area [mm]	Viewing Angle	Dimension [mm]	Interface
4,3	300cd/m ²	480 x 272	95.04x53.86	12	105.50 x 67.20 x 2.95	24bit RGB
4,3	250cd/m ²	480 x 272	-	12	105.50 x 71.20 x 4.78	24bit RGB
4,3	500cd/m ²	480 x 272	-	12	105.00 x 67.20 x 2.95	24bit RGB
4,3	400cd/m ²	480 x 272	-	12	105.00 x 67.20 x 4.15	24bit RGB
4,3		720 x 1280	-	ALL	55.14 x 101.09 x 1.34	SPI+RGB
4,3	300cd/m ²	480 x 800	56.16 x 93.60	ALL	62.40 x 105.40 x 2.15	MIPI
4,3	250cd/m ²	800 x 480	-	ALL	105.50 x 67.20 x 3.00	24bit RGB
4,3	1000cd/m ²	800 x 480	-	ALL	105.50 x 67.20 x 3.00	24bit RGB
5,0	250cd/m ²	480 x 272	110.88 x 62.83	12	120.80 x 75.90 x 3.05	24bit RGB
5,0	250cd/m ²	480 x 272	110.88 x 62.83	12	120.80 x 75.9 x 3.05	24bit RGB
5,0	500cd/m ²	480 x 272	110.88 x 62.83	12	120.70 x 75.8 x 2.9	24bit RGB
5,0	250cd/m ²	800 x 480	108.00 x 64.80	6	120.70 x 75.8 x 4.15	24bit RGB
5,0	350cd/m ²	800 x 480	108.00 x 64.80	12	120.70 x 75.80 x 3.10	24bit RGB
5,0	450cd/m ²	800 x 480	108.00 x 64.80	12	120.70 x 75.80 x 4.00	24bit RGB
5,0	600cd/m ²	800 x 480	108.00 x 64.80	12	120.70 x 75.80 x 3.10	24bit RGB
5,0	900cd/m ²	800 x 480	108.00 x 64.80	12	120.70 x 75.80 x 3.10	24bit RGB
5,0	800cd/m ²	800 x 480	108.00 x 64.80	12	120.70 x 75.80 x 3.10	24bit RGB
5,0	420cd/m ²	480 x 854	61.56 x 109.53	ALL	66.10 x 119.10 x 2.00	SPI+RGB
5,2	-	1080 x 1920	64.80 x 57.60	ALL	66.80 x 122.50 x 1.17	MIPI
5,5	-	720 x 1280	-	ALL	70.44 x 128.36 x 0.66	MIPI
5,7	450cd/m ²	640 x 480	115.20 x 86.40	6	127.40 x 99.93 x 3.30	24bit RGB
5,8	600cd/m ²	1280 x 768	126.72 x 74.88	12	144.56 x 87.40 x 5.50	MINI LVDS
6,0	-	1080 x 1920	74.52 x 432.48	ALL	76.12 x 138.17 x 0.60	MIPI
6,0	-	1080 x 1920	74.52 x 432.48	ALL	76.12 x 138.17 x 0.60	MIPI
6,7	900cd/m ²	1920 x 1080	148.32 x 83.43	ALL	161.12 x 97.68 x 4.77	LVDS
6,86	500cd/m ²	1280 x 480	160.59 x 60.22	ALL	181.26 x 66.76 x 4.50	LVDS
7,0	500cd/m ²	1024 x 600	154.21 x 85.92	ALL	164.90 x 100.00 x 5.50	LVDS
7,0	250cd/m ²	1024 x 600	154.21 x 85.92	ALL	164.90 x 100.00 x 3.00	RGB
7,0	250cd/m ²	1024 x 600	154.21 x 85.92	ALL	164.90 x 100.0 x 3.00	MIPI
7,0	250cd/m ²	800 x 1280	94.20 x 150.72	ALL	104.32 x 161.67 x 2.60	MIPI
7,0	300cd/m ²	800 x 480	154.08 x 85.92	12	164.90 x 100.0 x 5.70	RGB
7,0	1000cd/m ²	800 x 480	154.08 x 85.92	12	165.00 x 100.00 x 5.70	RGB
7,0	300cd/m ²	1024 x 600	153.60 x 90.00	12	165.70 x 105.40 x 3.00	LVDS
7,0	500cd/m ²	1024 x 600	153.60 x 90.00	12	165.70 x 105.40 x 3.00	LVDS
7,0	250cd/m ²	800 x 480	154.08 x 85.92	12	164.90 x 100.00 x 7.20	RGB
7,0	250cd/m ²	800 x 480	154.08 x 85.92	12	178.00 x 109.92 x 8.56	LVDS
7,0	250cd/m ²	800 x 480	154.08 x 85.92	12	215.00 x 152.00 x 10.00	RGB
7,0	300cd/m ²	800 x 480	154.08 x 85.92	12	164.90 x 100.00 x 5.50	RGB
8,0	500cd/m ²	800 x 600	162.05 x 121.54	12	182.90 x 141.00 x 5.50	RGB
8,0	300cd/m ²	1024 x 768	162.05 x 121.54	12	182.90 x 141.00 x 5.50	LVDS
8,0	250cd/m ²	800 x 1280	107.64 x 172.22	ALL	114.60 x 184.10 x 2.60	MIPI
9,0	250cd/m ²	800 x 480	198.00 x 111.70	12	210.70 x 126.50 x 5.10	RGB
9,7	350cd/m ²	1024 x 768	196.60 x 147.76	ALL	210.21 x 164.25 x 2.85	LVDS
10,1	450cd/m ²	1024 x 600	222.72 x 125.28	12	235.00 x 143.00 x 4.30	LVDS
10,1	250cd/m ²	1280 x 240	-	ALL	237.00 x 58.95 x 7.50	LVDS
10,1	350cd/m ²	800 x 1280	135.36 x 216.58	ALL	143.00 x 228.60 x 2.90	LVDS
10,1	350cd/m ²	1280 x 800	216.96 x 135.60	ALL	229.70 x 149.30	LVDS
10,1	500cd/m ²	1280 x 800	216.96 x 135.60	ALL	229.70 x 149.30	LVDS
10,1	650cd/m ²	1280 x 800	216.96 x 135.60	ALL	229.70 x 149.30	LVDS

High Brightness TFT Display Module



Size [Inch]	Brightness	Resolution	Active Area [mm]	Viewing Angle [T/B/L/R]	Dimension [mm]	Interface
7,0	1000	800 x 480	152.4 x 91.44	80/80/80/80	170 x 111 x 8	LVDS [1 ch, 6/8-bit]
8,0	1000	800:600	162 x 121.5	70/70/50/70	183 x 141 x 5.9	Parallel RGB [1 ch, 8-bit]
10,1	1000	1280 x 800	216.96 x 135.6	89/89/89/89	396 x 324 x 10.4	LVDS [2 ch, 8-bit]
12,1	1000	1024 x 768	245.76 x 184.32	80/80/70/70	260.5 x 204 x 7.7	LVDS [1 ch, 6/8-bit]
15,0	1000	1024 x 768	304.128 x 228.096	80/80/80/80	326.5 x 253.5 x 7.4	LVDS [1 ch, 6/8-bit]
17,0	1000	1280 x 1024	337.92 x 270.336	85/85/80/80	358.5 x 296.5 x 10.3	LVDS [2 ch, 8-bit]
17,3	1500	1920 x 1080	381.88 x 214.812	80/80/80/60	403 x 240 x 12.5	LVDS [2 ch, 8-bit]
18,5	1000	1366 x 768	409.8 x 230.4	85/85/80/80	430.4 x 254.6 x 9.9	LVDS [1 ch, 8-bit]
19,0	1000	1440 x 900	408.24 x 255.15	85/85/80/80	428 x 278 x 10.8	LVDS [2 ch, 8-bit]
21,5	700	1920 x 1080	476.064 x 267.786	89/89/89/89	497.6 x 292.2 x 10.5	LVDS [2 ch, 8-bit]
21,5	1000	1920 x 1080	476.64 x 268.11	89/89/89/89	495.6 x 292.2 x 10.7	LVDS [2 ch, 8-bit]
21,5	1500	1920 x 1080	476.64 x 268.11	89/89/89/89	495.6 x 292.2 x 10.3	LVDS [2 ch, 8-bit]
21,5	2000	1920 x 1080	476.64 x 268.11	89/89/89/89	495.6 x 292.2 x 10.3	LVDS [2 ch, 8-bit]
21,5	1000	1920 x 1080	476.64 x 268.11	89/89/89/89	495.6 x 292.2 x 11	LVDS [2 ch, 8-bit]
23,6	1000	1920 x 1080	521.28 x 293.22	89/89/89/89	548.2 x 321 x 11.8	LVDS [2 ch, 8-bit]
23,8	1500	1920 x 1080	527.04 x 296.46	89/89/89/89	557.5 x 326.6 x 17.5	LVDS [2 ch, 8-bit]
32,0	1500	1920 x 1080	698.4 x 392.85	89/89/89/89	729.4 x 424.2 x 29.5	LVDS [2 ch, 8-bit]
32,0	2000	1920 x 1080	698.4 x 392.85	89/89/89/89	722.4 x 418.4 x 47	LVDS [2 ch, 8-bit]
43,0	1500	1920 x 1080	941.184 x 529.416	89/89/89/89	973.2 x 561.5 x 29.5	LVDS [2 ch, 8-bit]
43,0	2000	1920 x 1080	941.184 x 529.416	89/89/89/89	965.2 x 553.4 x 55	LVDS [2 ch, 8-bit]
49,0	1500	1920 x 1080	1073.8 x 604	89/89/89/89	1103.8 x 634 x 31.5	LVDS [2 ch, 8-bit]
49,0	2500	1920 x 1080	1073.8 x 604	89/89/89/89	1098 x 628 x 55	LVDS [2 ch, 8-bit]
55,0	1500	1920 x 1080	1209.6 x 680.4	89/89/89/89	1241.6 x 713.36 x 31	LVDS [2 ch, 8-bit]
55,0	2000	1920 x 1080	1209.6 x 680.4	89/89/89/89	1269 x 739 x 68.7	LVDS [2 ch, 8-bit]
55,0	2000	1920 x 1080	1209.6 x 680.4	89/89/89/89	1223.6 x 704.4 x 55	LVDS [2 ch, 8-bit]
55,0	4000	1920 x 1080	1209.6 x 680.4	89/89/89/89	1268 x 739 x 68.7	LVDS [2 ch, 8-bit]
65,0	2000	1920 x 1080	1428.48 x 803.52	89/89/89/89	1452.4 x 827.5 x 55	LVDS [2 ch, 8-bit]
75,0	2000	3840 x 2160	1649.66 x 927.94	89/89/89/89	1689 x 971 x 66.15	V-by-1/LVDS
86,0	2500	3840 x 2160	1895.04 x 1065.94	89/89/89/89	1933 x 1108.5 x 72.1	V-by-One 16 lane

Stretched TFT Display Module




Size [Inch]	Brightness	Resolution	Active Area [mm]	Viewing Area [mm]	Dimension [mm]	Viewing Angle [T/B/L/R]	Colors	Contrast
12,3	500	1024 x 256	304.128 x 76.03	307.3 x 79.03	325.9 x 100.3 x 11.45	80/80/80/80	16.7M	1000:1
12,3	500	1024 x 256	304.128 x 76.03	307.3 x 79.03	325.9 x 100.3 x 11.45	89/89/89/89	16.7M	1000:1
13,95	400	1920 x 472	344.16 x 84.67	346.16 x 86.67	366.3 x 108.81 x 12.5	85/85/85/85	16.7M	1500:1
14,9	2100	1280 x 239	376.32 x 70.4	379.32 x 73.4	402 x 97.54 x 13	85/85/80/80	16.7M	1000 : 1
15,3	500	1280 x 342	374.784 x 100.14	378.8 x 103.3	395.2 x 124.85 x 12.5	89/89/89/89	16.7M	1000 : 1
16,4	700	1366 x 230	409.7 x 69	413.8 x 73	431.4 x 92.8 x 14.5	85/85/80/80	16.7M	1000:1
16,8	700	1366 x 378	409.7 x 115.2	413.8 x 119.2	431.8 x 141 x 14.7	85/85/80/80	16.7M	1000:1
19,1	700	1920 x 338	476.6 x 84.4	480 x 88.4	497.4 x 109.5 x 14.5	85/85/80/80	16.7M	1000:1
19,2	700	1920 x 384	476.6 x 96.3	480 x 98.3	497.4 x 120.8 x 14.5	85/85/80/80	16.7M	1000:1
19,4	400,0	1920 x 519	476.6 x 129	480 x 133	503 x 156.2 x 14.5	89/89/89/i9	16.7M	3000:1
19,7	400	1920 x 624	476.6 x 154.9	480 x 156.9	497.4 x 179.3 x 14.5	89/89/89/89	16.7M	3000:1
21,9	700	1920 x 720	521.28 x 195.48	524.5 x 198.5	541.9 x 221 x 14.5	85/85/80/80	16.7M	1000:1
23,9	700	1920 x 359	597.9 x 112	601.6 x 116	627.1 x 152.5 x 25.8	85/85/80/80	16.7M	1200:1
24,6	700	1920 x 578	597.9 x 180	602 x 184	625.4 x 210.2 x 17.5	85/85/80/80	16.7M	1200:1
28,0	600	1920 x 360	698.4 x 131	702 x 133.7	729.3 x 167.3 x 19.2	89/89/89/89	16.7M	5000:1
28,8	550	1920 x 538	698.4 x 195.68	702 x 200	735.8 x 233.8 x 21.6	89/89/89/89	16.7M	1400:1
33,8	750	2560 x 720	825.6 x 232.2	829.6 x 236.2	863.6 x 267.6 x 26.9	89/89/89/89	16.7M	1200:1
34,7	500	1920 x 160	885.6 x 74	888.6 x 77	911 x 101.4 x 19	89/89/89/89	1.07B	4000:1
36,6	550	1920 x 290	919.3 x 139	923.3 x 143	956.9 x 176.5 x 17.9	89/89/89/89	16.7M	4000:1
36,8	700	1920 x 360	919.3 x 172.4	923.3 x 176.4	956.8 x 210.9 x 27	89/89/89/89	16.7M	3000:1
38,0	700	1920 x 539	919.3 x 258	923.3 x 262	955.9 x 304.6 x 19	88/88/88/88	16.7M	4000:1
42,7	1000	1920 x 273	1073.78 x 153	1077.7 x 157	1112.7 x 193 x 25	89/89/89/89	1.07B	5000:1
43,8	1000	1920 x 536	1073.78 x 300	1077.7 x 304	1091.7 x 341 x 27	89/89/89/89	16.7M	3000:1
43,8	900	1920 x 525	1073.78 x 294.5	1078.9 x 300	1087.9 x 309 x 78.7	89/89/89/89	16.7M	3000:1
44,8	2000	1920 x 675	1073.7 x 377.5	1077.7 x 381.5	1113.9 x 418.7 x 27	89/89/89/89	16.7M	3000:1
47,95	1000	1920 x 238	1209.6 x 150	1213.6 x 154	1249.2 x 190 x 25 x 27	89/89/89/89	16.7M	4000:1
48,5	700	1920 x 360	1209.6 x 226.8	1213.6 x 230.8	1249.6 x 267.8 x 27	89/89/89/89	16.7M	4000:1
49,5	1000	1920 x 540	1209.6 x 340.2	1217 x 347	1225 x 385 x 30.5	89/89/89/89	16.7M	4000:1
56,6	1000	1920 x 238	1428.5 x 177	1432.5 x 181	1470.5 x 222 x 27.9	89/89/89/89	16.7M	1400:1
57,2	700	1920 x 364	1429 x 272.2	1434 x 277.2	1470 x 314.2 x 29	89/89/89/89	16.7M	4000:1
57,5	700	1920 x 405	1428.4 x 301.2	1434.2 x 306.4	1460.2 x 332.1 x 21	89/89/89/89	16.7M	4000:1
57,5	1500	1920 x 403	1428.48 x 300	1431.48 x 303	1454.48 x 326.8 x 40.8	89/89/89/89	16.7M	4000:1

TRS-STAR

electronics4U

www.trs-star.com



TRS-STAR GmbH

Headquarters | Sales · Marketing

Werner-von-Siemens-Str. 1
76297 Stutensee
T +49 7249 95222-0
info@trs-star.com

Sales Frankenthal

Schraderstraße 44
67227 Frankenthal
T +49 6233 347-137
info@trs-star.com

Logistics · Engineering

Schraderstraße 44
67227 Frankenthal
T +49 6233 347-0
info@trs-star.com

Sales Europe

Switzerland
Hofstrasse 87
8620 Wetzikon [Zürich]
T +41 76 3778343
ceko@trs-star.com

Spain
Passatge Xaloc, 18 4T.3A.
08840 Viladecans [Barcelona]
T +34 608 348059
bachs@trs-star.com

France
14 allée de la Vaudonnière
91370 Verrières le Buisson
T +33 614 932518
commelin@trs-star.com

UK
15, Oakley Close, Addlestone,
Surrey. KT15 2LT
T +44 1932 483040
bonnett@trs-star.com

Belgium
Lange Kievitstraat 116
2018 Antwerpen
T +32 329 476 64
dimuro@trs-star.com

Romania
bd Ion Mihalache 319, bl 21, ap 15
011184 Bucharest 1
T +40 72 3569406
balanescu@trs-star.com